

Lesco

Horticultural Oil Insecticide

NOT FOR USE on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds, or on residential fruit trees.

A highly refined superior spray oil for control of insects and mites on fruit trees and ornamentals

Active Ingredient:

Refined Petroleum Distillate 98.80%
Other Ingredients: 1.20%

TOTAL 100.00%

Unulfonated Residue of Petroleum Distillate (Minimum) 92.0%

50% Distillation Point of Petroleum Distillate 414°F

Flash Point 345°F

Weight per gallon 7.2 lb

EPA Reg. # 10404-66

EPA Est. # 52467-IL-1

#019492

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

If Swallowed: Call a physician immediately. Do not induce vomiting. Vomiting may cause aspiration pneumonia. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

If in Eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

If on Skin: Remove contaminated clothing and wash with soap and water.

If Inhaled: Move victim to fresh air. Apply respirator if needed.

See additional precautionary statements below.

DIRECTIONS FOR USE

It is a violation of Federal law to use the product in a manner inconsistent with its labeling.

How Much to Use: For all fruit trees, except Citrus, use this product at the rate of 1.0 to 4.0 gallons per 100 gallons of water. Apply to control the listed insects. Observe "When to Apply" for each crop. **Note:** All rates are calculated for mature trees with normal foliage cover, unless otherwise indicated. Rates should be reduced proportionally for smaller trees.

PLANT	PEST	gal Oil /100 gal Water†	TIME OF APPLICATION
Shade Trees, Ornamental Trees and Shrubs including Conifers, Deciduous Broadleaf Evergreens, and Woody Ornamentals in landscapes and along City Streets or Other Rights-of-Way	Aphids Adelgids Bugs (immature) Certain Caterpillars	2-4	Winter dormant period as needed
	Eriophid Mites Gall Mites Lace Bug Leaf Beetle Larvae Leaf Miner Mealybug	1-3	Summer (foliar or cover) as needed
Flowers and Foliage Plants including Roses and other flowering shrubs, Foliage Ornamentals and Bedding Plants	Psyllids (immature) Sawfly (larvae)	2-3	Winter dormant period as needed
	Scale (immature) Spider Mites Whiteflies (immature)		
Residential Fruit trees: Apples, Pears, Pecans, Peaches, Plums & Prunes	Lace Bug	1-2	Summer (foliar or cover) as needed
	Apple Red Bug European Fruit Lecanium Scale Fruit Tree Leaf Roller	1-3	Winter dormant period as needed

PLANT	PEST	gal Oil /100 gal Water†	TIME OF APPLICATION
	European Red Mite San Jose Scale Scurfy Scale Pear Leaf Blister Mite Pear Psylla Obscure Scale Cottony Cushion Scale Spider Mites Plant Bugs		Summer (foliar or cover) as needed
Residential Citrus	Scales: California Red, Glover (long) Chaff, Purple, Red, Yellow, Snow, Brown, Soft; Rust Mite; Greasy Spot; Spot & Sooty Mold; Spider Mites; Rust Mite; Whiteflies	1-3	Apply Post Bloom
	California Red Scale	1.3-1.6	

†For smaller applications, 1.3 oz Horticultural Oil Insecticide per gallon of water is approximately equivalent to 1 gal Horticultural Oil Insecticide/100 gal water.

Mixing Directions: Partially fill tank with water, and start agitator. Add oil, then add remaining water. Continue agitation to thoroughly mix oil and water. Agitate continuously, or if this is not possible, agitate periodically throughout application to ensure that oil and water remain mixed.

Application instructions: To obtain adequate pest control, spray to obtain thorough coverage until thoroughly wet but without significant runoff. Apply 100-400 gallons of spray solution per acre with a ground sprayer.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Avoid contact with eyes, skin, or clothing. Harmful if swallowed. Avoid breathing of spray mist or vapors. Wash hands after using. Avoid contamination of feed or food stuffs.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves, such as barrier laminate or nitrile rubber, or neoprene rubber, or viton
- Shoes plus socks

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour, spill, or store near heat or open flame.

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food, or feed by storage or disposal; open dumping is prohibited.

Storage: Store in a cool, dry, locked area out of the reach of children. Keep container tightly closed in storage to prevent entry of water.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT NOTES

Roll drum before use. All horticultural oils interfere with or slow plant transpiration and respiration during the period of evaporation. Do not apply during periods of drought or when plants exhibit moisture stress. Phytotoxicity may result if sprayed on plants during periods of prolonged high temperature and high relative humidity. Do not use in combination with or immediately before or after spraying with dinitro compounds, fungicides such as Captan®, folpet, Dyrene®, Morestan® or any other product containing sulfur. Spray no more than 4 times during the growing season; two week minimum application interval. Do not spray when buds have fully opened and shoot elongation is occurring. Do not spray when there is obvious moisture deficit in leaves, or the plant is under stress. Keep away from open blooms; bleaching and spotting has been observed with the open blooms of certain plants.

TANK MIXES

Users are required to read and follow all directions and restrictions on the labels of the proposed tank mix products. Use 1% Horticultural Oil insecticide (1 Gallon Horticultural Oil per 100 Gallons of finished solution) in combination with other

PROTECT^{DF}

TURF & ORNAMENTAL FUNGICIDE

A Coordination Product of Manganese and Zinc and Ethylenebisdithiocarbamate.

ACTIVE INGREDIENTS:

A coordination product of Zinc Ion and Manganese Bisdithiocarbamate	75%
Manganese++	15.0%
Zinc++	1.9%
Ethylenebisdithiocarbamate Ion	58.1%
INERT INGREDIENTS	25%
TOTAL	
100%	

KEEP OUT OF REACH OF CHILDREN

CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID

- **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth, if possible. Call a poison control center or doctor for further treatment advice.
- **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- **IF SWALLOWED:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
- Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

- **Caution** – Causes moderate eye irritation. Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing dust or spray mist. Remove contaminated clothing and wash clothing before reuse.

PERSONAL PROTECTION EQUIPMENT (PPE):

- **APPLICATORS AND OTHER HANDLERS MUST WEAR:** Coveralls over long-sleeved shirt and long pants, chemical resistant gloves made from any waterproof material, shoes plus socks, protective eyewear when mixing or loading, chemical-resistant apron when cleaning equipment, mixing or loading. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. When handlers use closed systems, enclosed cabs or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240(d)(4-6), the handler PPE requirements may be reduced or modified as specified in the WPS.



CLEARY CHEMICAL CORPORATION
178 RIDGE ROAD
DAYTON, NJ 08810-1501

EMERGENCY PHONE NUMBERS:
M-F 9AM-5PM ET
800-524-1662 • 732-329-8399
24 Hour CHEMTREC
800-424-9300

EPA Est. No. 33967-NJ1
EPA Reg. No. 1001-77

Accepted: 3/12/04
Replaces: 2/23/98
Version: 5/20/04

JUNE & AUGUST MULTIPURPOSE

FLORAMITE® SC

GROUP	25	ACARICIDE
-------	----	-----------

ORNAMENTAL MITICIDE

SPECIMEN LABEL

ACTIVE INGREDIENT:

Bifenazate: Hydrazine carboxylic acid, 2-(4-methoxy-[1,1-biphenyl]-3-yl) 1-methylethyl ester 22.6%

INERT INGREDIENTS: 77.4%

TOTAL: 100.0%

Contains 2 lbs. bifenazate per gallon.

EPA Reg. No. 400-508-59807

(BO) EPA Est. No. 37429-GA-2

(BT) EPA Est. No. 37429-GA-1

The EPA Establishment Number is identified by the circled letters above that match the letters in the batch number.

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

IF SWALLOWED:	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
----------------------	--

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also call the following telephone numbers for emergency medical treatment

MEDICAL (24 hours a day) AND PRODUCT INFORMATION
800-356-4647

TRANSPORTATION EMERGENCY (24 hours a day)
(CHEMTREC)
800-424-9300

Personal Protective Equipment (PPE)

Applicators and Other Handlers Must Wear:

- Long-sleeved shirt and long pants; shoes plus socks.

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. This product is toxic to bees exposed to direct treatment but residues on treated foliage are not toxic to bees. Do not apply this product while bees are actively visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling.

Net Contents: One quart (32 fl. oz.) or 946 mL



10058333



Net Contents: 1 Gallon
#091624

To control pests indoors and outdoors on residential, institutional, public, commercial, and industrial buildings, greenhouses, food handling establishments, and lawns, ornamentals, parks, recreational areas and athletic fields.

When used as a termiticide, individuals/firms must be licensed by the state to apply termiticide products. States may have more restrictive requirements regarding qualifications of persons using this product. Consult the pest control regulatory agency of your state prior to use of this product.

Provides up to 1 month residual control of house flies. Kills fleas for up to 3 months.

EPA Reg. No. 279-3206-10404
EPA Est. 279-NY-1

Active Ingredient:	By Wt.
Bifenthrin*	7.9%
Other Ingredients:	92.1%
	<hr/>
	100.0%

**KEEP OUT OF REACH
OF CHILDREN
CAUTION**

See other panels for additional
precautionary information.

LESCO CrossCheck® Plus Multi-Insecticide contains
2/3 pound active ingredient per gallon.

*Cis isomers 97% minimum, trans isomers 3%
maximum.

Distributed By:
LESCO, Inc.
1385 East 36th Street
Cleveland, Ohio 44114-4114

15084989

Job 51426